

GENERAL NOTES

- 1) ALL ROAD CONSTRUCTION TO BE IN ACCORDANCE WITH MISSOURI STANDARD SPECIFICATIONS FOR HIGHWAY CONSTRUCTION, MOST RECENT EDITION.
- 2) COMPACT TOP 12" OF SUBGRADE AND EACH LAYER OF BACKFILL OR BACKFILL MATERIAL AT 90% MODIFIED PROCTOR (A.S.T.M. D1557) MAXIMUM DENSITY FOR COHESIVE MATERIAL OR 70% RELATIVE DENSITY (A.S.T.M. D4253 AND A.S.T.M. D4254) FOR COHESIVE MATERIAL.
- 3) REMOVE ALL WASTE MATERIALS, INCLUDING EXCAVATED MATERIAL, CONCRETE STORM SEWER, TRASH, AND DEBRIS, AND DISPOSE OF IT OFF OWNERS PROPERTY. ANY STAGING OR STORAGE OF MATERIALS OFF CITY RIGHT-OF-WAY SHALL BE APPROVED BY THE CITY.
- 4) CONTRACTOR SHALL REMOVE, STORE, & REINSTALL AT THE COMPLETION OF CONSTRUCTION ALL MAILBOXES, FENCES, AND SIGNS AFFECTED BY CONSTRUCTION, SUBSEQUENTLY IF DAMAGE OCCURS, IT SHALL BE REPLACED BY CONTRACTOR.
- 5) THE CONTRACTOR SHALL PROVIDE ADEQUATE EROSION CONTROL FEATURES IN ACCORDANCE WITH ANY LOCAL, STATE AND FEDERAL REGULATIONS AND OBTAIN ANY NECESSARY PERMITS FOR LAND DISTURBANCE. SILTATION CONTROL DEVICES SHALL BE MAINTAINED BY THE CONTRACTOR DURING GRADING OPERATIONS AND UNTIL SUFFICIENT VEGETATION IS ESTABLISHED TO PREVENT EROSION. TEMPORARY SILTATION DEVICES SHALL BE REMOVED UPON COMPLETION OF RE-VEGETATION.
- 6) EXISTING UTILITY LOCATIONS SHOWN ON THESE PLANS WERE COMPILED FROM THE BEST AVAILABLE RECORDS. CONTRACTOR SHALL COORDINATE WITH THE UTILITY COMPANIES TO ESTABLISH EXACT LOCATIONS, DEPTHS, AND POSSIBLE RELOCATION OF THE MAINS PRIOR TO CONSTRUCTION AND SHALL FULLY COMPLY WITH THE PROVISIONS OF THE UNDERGROUND FACILITY SAFETY AND DAMAGE PROVISIONS ACT, CHAPTER 319 RSMO.
- 7) THE CONTRACTOR SHALL KEEP ALL PAVEMENTS CLEAN AND FREE OF MUD, ROCK AND DEBRIS AT ALL TIMES DURING CONSTRUCTION.
- 8) THE CONTRACTOR SHALL NOTIFY EACH AFFECTED PROPERTY OWNER A MINIMUM OF 24 HOURS PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION AND/OR GRADING.
- 9) THE CONTRACTOR SHALL MAINTAIN AT ALL TIMES, ONE LANE OF TRAFFIC THROUGH AREAS OF IMMEDIATE CONSTRUCTION (SEE PLANS AND SPECS FOR TRAFFIC CONTROL, BARRICADES AND SIGNAGE. CONTRACTOR SHALL REMOVE, STORE AND REINSTALL AT THE COMPLETION OF CONSTRUCTION, ALL SIGNS WITHIN THE CONSTRUCTION LIMITS. CONTRACTOR SHALL REPLACE ALL SIGNS DAMAGED BY CONSTRUCTION.
- 10) CONTRACTOR SHALL ADJUST TO GRADE ALL WATER METER VAULTS, STOP BOX LIDS, METER LIDS AND WATER VALVE BOXES WITHIN PROJECT LIMITS.
- 11) PROVIDE ADEQUATE OFF-STREET PARKING FOR CONSTRUCTION EMPLOYEES. PARKING ON NON-SURFACED AREAS SHALL BE PROHIBITED IN ORDER TO ELIMINATE THE CONDITION WHEREBY MUD FROM CONSTRUCTION AND EMPLOYEE VEHICLES IS TRACKED ONTO THE PAVEMENT CAUSING HAZARDOUS ROADWAY AND DRIVEWAY CONDITIONS.
- 12) INTERIM STORM SEWER WATER DRAINAGE CONTROL IN THE FORM OF SILTATION CONTROL MEASURES IS REQUIRED.
- 13) ANY DISTURBED OFF SITE PROPERTY (I.E. BUSHES, FENCES, MAILBOXES, ETC.) SHALL BE REPLACED, IN KIND, AT THE CONTRACTOR'S EXPENSE.
- 14) CONTRACTOR SHALL SEED ANY NON-PAVED AREAS DISTURBED BY CONSTRUCTION.
- 15) CONTRACTOR MUST MAINTAIN ACCESS TO RESIDENTIAL AND COMMERCIAL DRIVEWAYS AT ALL TIMES DURING CONSTRUCTION. IF TEMPORARY CLOSURES OF DRIVEWAYS ARE REQUIRED, 24 HOUR NOTICE SHALL BE PROVIDED TO THE CITY.
- 16) ANY FILL REQUIRED SHALL BE CLEAN AND FREE OF ANY DEBRIS OR CONSTRUCTION MATERIAL.
- 17) CARE SHALL BE TAKEN TO AVOID DISTURBING ANY PROPERTY MARKERS ENCOUNTERED DURING CONSTRUCTION. ANY PROPERTY MARKERS REMOVED TO ALLOW FOR GRADING, SHALL BE REPLACED. NO DIRECT PAY FOR THIS WORK.
- 18) CONTRACTOR SHALL NOT STORE CONSTRUCTION MATERIAL ON ANY PROPERTY WITHOUT PRIOR WRITTEN CONSENT FROM PROPERTY OWNER.
- 19) ALL SAWCUTS REQUIRED TO BUILD NEW CURB SHALL BE CONSIDERED INCIDENTAL TO OTHER ITEMS.

STORMWATER RUNOFF CALCULATIONS			
(15 YEAR/20 MINUTE STORM)			
DESCRIPTION	AREA (ACRES)	P.I. (DIFFERENTIAL)	Q (CFS)
EX. GRASS AREA TO BE PAVED	0.12	1.84	0.22
DIFFERENTIAL RUNOFF= 0.22 CFS			

STORMWATER MANAGEMENT NOTE:

LAND AREA DISTURBED = 0.79 ACRES
ANY FUTURE LAND DISTURBANCE AND/OR INCREASE IN IMPERVIOUS AREA ON THIS SITE MAY REQUIRE ADDITIONAL STORM WATER MANAGEMENT PER MSD REGULATIONS IN PLACE AT THAT TIME (INCLUDING TOTAL LAND DISTURBANCE AND/OR IMPERVIOUSNESS ADDED ON THIS PLAN MSD RECORD NUMBER 18MSD-00033)

MSD STANDARD CONSTRUCTION NOTES:

ALL STORM AND SANITARY SEWER STRUCTURES AND APPURTENANCES TO BE DEDICATED TO MSD, OR TO BE PRIVATE UNDER MSD INSPECTION, SHALL CONFORM TO THE METROPOLITAN ST. LOUIS SEWER SEWER DISTRICT, STANDARD CONSTRUCTION SPECIFICATIONS FOR SEWERS AND DRAINAGE FACILITIES, 2009. THAT WILL INCLUDE STANDARD DETAILS SHOWN THEREIN, AND SHALL INCLUDE ALL SUBSEQUENT CHANGES MADE THERETO.

ALL STORM INLETS SHALL MAINTAIN A MINIMUM 6" THROAT OPENING PER MSD DETAIL SHEET #59 IN MSD STANDARD CONSTRUCTION SPECIFICATIONS FOR SEWERS AND DRAINAGE FACILITIES (2009).

SOME RECENT CHANGES CONCERN PIPE FIELD TESTING AND PERFORMANCE, AND INCLUDE THE FOLLOWING:

PART 4 - PIPE SEWER CONSTRUCTION

SECTION B, PIPE FIELD TESTS, PARAGRAPH 2, REACH INTEGRITY TESTING - DELETE THE FIRST SENTENCE AND THE FOLLOWING REPLACEMENT APPLIES:

ALL SANITARY AND COMBINED SEWERS SHALL SUSTAIN A MAXIMUM LEAKAGE LIMIT OF 100 GALLONS/INCH OF PIPE DIAMETER/MILE OF LINE/DAY, AS REQUIRED BY THE MISSOURI DEPARTMENT OF NATURAL RESOURCES SPECIFICATIONS.

SECTION B, PIPE FIELD TESTS, PARAGRAPH 2, REACH INTEGRITY TESTING, SUBPARAGRAPH C, INFILTRATION/EXFILTRATION TESTING - DELETE THE SIXTH SENTENCE, CONCERNING LEAKAGE LIMITS, AND THE FOLLOWING REPLACEMENT APPLIES:

THE MEASUREMENT OF LEAKAGE SHALL NOT EXCEED 100 GALLONS/INCH OF PIPE DIAMETER/MILE OF LINE/DAY, AS REQUIRED BY THE MISSOURI DEPARTMENT OF NATURAL RESOURCES SPECIFICATIONS.

SECTION B, PIPE FIELD TESTS, PARAGRAPH 4, MANHOLE TESTING, SUBPARAGRAPH A, VACUUM TESTING - AFTER THE FIRST SENTENCE, THE FOLLOWING ADDITION APPLIES:

THE VACUUM TEST MUST BE PERFORMED PRIOR TO BACKFILLING AROUND THE MANHOLE UNLESS THE CONTRACTOR PROVIDES DOCUMENTATION FROM THE PRECAST MANHOLE MANUFACTURER STATING THAT THE MANHOLE MAY BE VACUUM TESTED AFTER BACKFILLING HAS TAKEN PLACE. THE CONTRACTOR MUST SUBMIT THIS DOCUMENTATION PRIOR TO BACKFILLING AROUND ANY MANHOLE.

SECTION B, PIPE FIELD TESTS, PARAGRAPH 4, MANHOLE TESTING, SUBPARAGRAPH B, EXFILTRATION TESTING - DELETE THE SECOND SENTENCE, CONCERNING LEAKAGE LIMITS, AND THE FOLLOWING ADDITION APPLIES:

FOR EXFILTRATION TESTING, THE ALLOWABLE LEAKAGE LIMIT IS 100 GALLONS/INCH OF PIPE DIAMETER/MILE OF LINE/DAY WHEN THE AVERAGE HEAD ON THE TEST SECTION IS THREE FEET (3') OR LESS.

ADJUSTMENTS OF MANHOLES TO GRADE:

THE SEWER CONTRACTOR SHALL BE RESPONSIBLE FOR ANY COSTS ASSOCIATED WITH THE FIELD VERIFICATION OF THE SEWER GRADE, OR REMOVAL AND REPLACEMENT OF THE SEWER PIPE OR ASSOCIATED APPURTENANCES

MANHOLES MAY BE RAISED USING COURSES OF BRICK OR APPROVED GRADE RING(S), PROVIDED THE TOTAL ADJUSTMENT OF THE MANHOLE DOES NOT EXCEED 12-INCHES INCLUDING EXISTING RINGS OR COURSES OF BRICK). FOR MANHOLES WHICH WILL EXCEED THE MAXIMUM OF 12-INCHES, THE TRANSITION SECTION OF THE STRUCTURE SHALL BE REMOVED AND THE BOTTOM SECTION RAISED USING THE SAME MATERIAL AS THE EXISTING STRUCTURE.

MANHOLES MAY BE LOWERED BY REMOVING THE TRANSITION SECTION, AND LOWERING THE EXISTING BOTTOM SECTION BY SAWCUTTING THE EXISTING CAST-IN-PLACE CONCRETE, REMOVING THE REQUIRED COURSES OF BRICK, OR REMOVING THE PRECAST RISER SECTION AS APPROPRIATE.

REMOVE, REPLACE, OR REHABILITATE STRUCTURE:

THE REMOVAL AND REPLACEMENT, OR REHABILITATION OF THE EXISTING PUBLIC STRUCTURE(S) WILL BE DETERMINED BY THE MSD FIELD INSPECTOR. IF THE STRUCTURE IS DETERMINED TO REMAIN IN PLACE, THEN THE TOP SHALL BE ADJUSTED TO GRADE, IF NEEDED.

INLET GRADE ADJUSTMENTS

THE REMOVAL AND REPLACEMENT, OR CONVERSION OF THE EXISTING STRUCTURE WILL BE DETERMINED BY THE MSD FIELD INSPECTOR. IF THE STRUCTURE IS DETERMINED TO REMAIN IN PLACE, AND THE TOP SECDION CAN BE ADDED AS PROPOSED, AND STILL MEET MSD STANDARDS, THEN MODIFY AND ADJUST TO GRADE. OTHERWISE, THE ENTIRE STRUCTURE WILL HAVE TO BE REMOVED AND REPLACED WITH A NEW STRUCTURE.

THE CONTRACTOR SHALL STAY WITHIN THE LIMITS OF DISTURBANCE AS SHOWN ON THE PLANS AND MINIMIZE DISTURBANCE WITHIN THE WORK AREA WHEREVER POSSIBLE.

EXISTING WATER AND SANITARY CONNECTIONS WILL NOT BE MODIFIED WITH THIS WORK.



NAME: DAVID R. REICHMANN

DISCIPLINE: ENGINEER

LICENSE NO. PE-2011000948

EXPIRATION DATE: 12/31/19

DATE PREPARED

6/12/2018

ROUTE

STATE

MO

DISTRICT

SHEET NO.

SL2

COUNTY

ST. LOUIS

JOB NO.

1608900

MSD BASEMAP

10F, 11F

FEDERAL PROJECT NO.

STP-5422(619)

MSD NUMBER

18MSD-00033

DESCRIPTION

DATE





HORNER SHIFFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-6866

www.HornorShiffrin.com

Certificate of Authority: 000159

Expiration Date: December 31, 2018



ASHBROOK DRIVE

TYPICAL SECTIONS AND GENERAL NOTES

SHEET 2 OF 2

...11210_121002_GeneralNotes.dgn

9:36:53 AM

6/12/2018

REV.



SEE ST. LOUIS COUNTY STANDARD DRAWING
C502.14 FOR ADDITIONAL INFORMATION



EX R/W

30'

5' SIDEWALK

5' SHOULDER

11' LANE

*CONCRETE VERTICAL CURB AND GUTTER, 18" WIDE

CL

*CONCRETE VERTICAL CURB AND GUTTER, 18" WIDE

5' SHOULDER

11' LANE

5' SIDEWALK

1.5%

MATCH EXISTING

MATCH EXISTING

4" CONCRETE SIDEWALK

4" TYPE 5 AGGREGATE BASE

2.5" MILL AND OVERLAY

SAWCUT (SHALL BE CONSIDERED INCIDENTAL TO OTHER ITEMS)

1' (TYP.)

SAWCUT (SHALL BE CONSIDERED INCIDENTAL TO OTHER ITEMS)

4" TYPE 5 AGGREGATE BASE

4" TYPE 5 AGGREGATE BASE

SAWCUT (SHALL BE CONSIDERED INCIDENTAL TO OTHER ITEMS)


4" TYPE 5 AGGREGATE BASE

4" CONCRETE SIDEWALK

4" TYPE 5 AGGREGATE BASE

ASHBROOK DRIVE

STA. 10+50.83 LT TO STA. 29+50.00 LT
STA. 31+65.00 LT TO STA. 34+45.00 LT
STA. 29+50.00 RT TO STA. 42+00.00 RT



CABOT DRIVE

6" NON-REINFORCED
CONCRETE PAVEMENT



4" TYPE 5 AGGREGATE
FOR BASE

PREPARED
SUBGRADE

CONCRETE RESIDENTIAL
APPROACH

CONC

CONCRETE COMMERCIAL APPROACH



CONCRETE SIDEWALK

STATE OF MISSOURI
DAVID R. EICHMANN
NUMBER
PE-2011000948
PROFESSIONAL ENGINEER
6-11-18

NAME:	DAVID R. RIECHMANN
DISCIPLINE:	ENGINEER
LICENSE NO.	PE-2011000948
EXPIRATION DATE:	12-31-19

DATE PREPARED

6/12/2018

ROUTE	STATE MO
-------	-------------

DISTRICT	SHEET NO.
SL	2

COUNTY
ST. LOUIS

JOB NO.
1608900

MSD BASEMAP
10F, 11F

FEDERAL PROJECT NO.
STP-5422(619)

MSD NUMBER
18MSD-00033

--	--	--	--	--	--

[illegible]

Bellefontaine
Neighborhood



HORNER SHIFRIN
THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-4321 FAX: 314-531-6966
www.HornerShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

ASHBROOK DRIVE

TYPICAL SECTIONS & GENERAL NOTES

SHEET 1 OF 2

SUMMARY OF QUANTITIES			
ITEM NUMBER	DESCRIPTION	UNIT	QUANTITY
	ROADWAY ITEMS:		
2013000	CLEARING AND GRUBBING	AC.	0.7
2022010	REMOVAL OF IMPROVEMENTS	L.S.	1
2031000	CLASS 'A' EXCAVATION	C.Y.	1100
2036000	COMPACTING EMBANKMENT	C.Y.	108
3040504	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	S.Y.	6009
4011209	BITUMINOUS PAVEMENT MIXTURE PG64-22, (BP-1)	TONS	1986
4071005	TACK COAT	GAL	770
4019906	PAVEMENT PATCH	S.Y.	1000
5021106	CONCRETE PAVEMENT (6" NON-REINFORCED)	S.Y.	249
5021107	CONCRETE PAVEMENT (7" NON-REINFORCED)	S.Y.	80
6039902	ADJUST TO GRADE WATER VALVE	EACH	21
6039932	ADJUST TO GRADE GAS VALVE	EACH	11
6042010	ADJUSTING MANHOLE	EACH	15
6042020	ADJUSTING BASIN OR INLET	EACH	14
6099902	CONCRETE CURB & GUTTER, VERTICAL	L.F.	1449
6221001	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3" THICK OR LESS)	S.Y.	14677
6274000	CONTRACTOR FURNISHED SURVEYING AND STAKING	L.S.	1
6169901	CONSTRUCTION SIGNS	L.S.	1
6169902	CHANNELIZERS	L.S.	1
6181000	MOBILIZATION	L.S.	1
8061007A	CURB INLET CHECK	EACH	14
	PEDESTRIAN FACILITIES:		
6086004	CONCRETE SIDEWALK (4" THICK)	S.Y.	3309
6089910	CONCRETE SIDEWALK CURB RAMP (7" THICK)	EACH	24
	PAVEMENT MARKING ITEMS:		
6206000C	4 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	802
6206099	PREFORMED THERMOPLASTIC PAVEMENT MARKING, HANDICAP SYMBOL	EACH	4
6206124A	24 IN. WHITE WATERBORNE PAVEMENT MARKING PAINT, TYPE P BEADS	L.F.	212
	LANDSCAPE/STREETSCAPING ITEMS:		
8052000A	SEEDING-WARM SEASON MIXTURES	AC.	0.7



NAME: DAVID R. REICHMANN	
DISCIPLINE: ENGINEER	
LICENSE NO.: PE-2011000948	
EXPIRATION DATE: 12/31/19	
DATE PREPARED 6/12/2018	
ROUTE	STATE MO
DISTRICT SL	SHEET NO. 2A
COUNTY ST. LOUIS	
JOB NO. 1608900	
MSD BASEMAP 10F, 11F	
FEDERAL PROJECT NO. STP-5422(619)	
MSD NUMBER 18MSD-00033	

DESCRIPTION									
DATE									





HORNER
SHIFRIN

THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-4321 • FAX: 314-531-6966
www.HornorShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

ASHBROOK DRIVE

SUMMARY OF
QUANTITIES SHEET

UTILITY ADJUSTMENTS							
LOCATION	STATION	SIDE	ADJUSTING MANHOLE	ADJUST TO GRADE CURB INLET	ADJUST TO GRADE GAS VALVE	ADJUST TO GRADE WATER VALVE	REMARKS
			EACH (EA)	EACH (EA)	EACH (EA)	EACH (EA)	
ASHBROOK	10+51.71	RT		1			
ASHBROOK	10+54.96	LT		1			
ASHBROOK	10+67.03	LT				1	
ASHBROOK	10+77.87	RT			1		
ASHBROOK	10+85.23	LT				1	
ASHBROOK	11+61.29	RT	1				
ASHBROOK	14+05.11	LT				1	
ASHBROOK	15+06.61	RT				1	
ASHBROOK	15+97.47	LT	1				
ASHBROOK	16+23.47	LT				1	
ASHBROOK	16+33.24	LT				1	
ASHBROOK	16+45.53	RT		1			
ASHBROOK	16+52.91	LT		1			
ASHBROOK	17+27.16	RT			1		
ASHBROOK	18+18.80	LT	1				
ASHBROOK	18+66.69	LT			1		
ASHBROOK	18+68.53	LT				1	
ASHBROOK	19+22.44	LT			1		
ASHBROOK	20+14.85	RT			1		
ASHBROOK	20+37.18	LT	1				
ASHBROOK	20+52.96	RT	1				
ASHBROOK	20+81.48	LT				1	
ASHBROOK	21+62.98	LT		1			
ASHBROOK	21+63.48	RT		1			
ASHBROOK	22+01.74	RT			1		
ASHBROOK	23+08.13	RT				1	
ASHBROOK	23+18.33	RT			1		
ASHBROOK	23+34.36	RT	1				
ASHBROOK	23+49.24	LT	1				
ASHBROOK	23+67.28	LT				1	
ASHBROOK	25+22.41	RT			1		
ASHBROOK	25+39.71	RT			1		
ASHBROOK	25+62.56	LT		1			
ASHBROOK	26+08.18	LT	1				
ASHBROOK	26+25.36	RT		1			
ASHBROOK	26+55.17	LT		1			
ASHBROOK	29+51.39	LT				1	
ASHBROOK	29+52.98	LT				1	
ASHBROOK	29+69.64	RT	1				
ASHBROOK	30+36.94	LT		1			
ASHBROOK	30+39.62	RT		1			
ASHBROOK	30+62.51	RT				1	
ASHBROOK	31+02.88	LT	1				
ASHBROOK	32+59.89	RT			1		
ASHBROOK	32+61.08	RT				1	
ASHBROOK	32+93.03	LT				1	
ASHBROOK	32+93.08	LT				1	
ASHBROOK	33+38.38	LT	1				
ASHBROOK	35+36.60	RT				1	
ASHBROOK	35+83.91	RT	1				
ASHBROOK	38+83.12	LT			1		
ASHBROOK	38+83.94	RT				1	
ASHBROOK	38+89.03	RT				1	
ASHBROOK	39+47.97	RT	1				
ASHBROOK	42+00.67	RT	1				
ASHBROOK	42+14.48	LT		1			
ASHBROOK	42+59.43	RT				1	
CABOT	60+20.01	RT		1			
CABOT	60+85.77	LT		1			
CABOT	60+90.21	LT				1	
CABOT	62+93.56	LT	1				
	TOTAL		15	14	11	21	
	USE		15	14	11	21	

COLDMILLING BITUMINOUS PAVEMENT					
LOCATION	STATION	STATION	AREA	COLDMILLING BITUMINOUS PAVEMENT FOR REMOVAL OF SURFACING (3" THICK OR LESS)	REMARKS
			AREA (SF)	AREA (SY)	
ASHBROOK	10+47.96	20+00	32850.9	3650	
ASHBROOK	20+00	30+00	36587.7	4065	
ASHBROOK	30+00	40+00	38321.7	4258	
ASHBROOK	40+00	42+90.40	13116.2	1457	
CABOT	60+37.12	63+58.94	11220.9	1247	
		TOTAL		14677.0	
		USE		14677	

SEEDING		
LOCATION	SEEDING-WARM SEASON MIXTURES	REMARKS
	AREA (AC)	
ASHBROOK	0.7	
TOTAL	0.7	
USE	0.7	

EARTHWORK			
LOCATION	CLASS 'A' EXCAVATION	COMPACTING EMBANKMENT	REMARKS
	VOLUME (CY)	VOLUME (CY)	
ASHBROOK&CABOT	853	108	MAINLINE
ASHBROOK & CABOT DRIVEWAYS	247	0	DRIVEWAYS & ENTRANCES
TOTAL	1100	108	
USE	1100	108	

PAVEMENT PATCH			
LOCATION	PAVEMENT PATCH	TYPE 5 AGGREGATE FOR BASE (4 IN. THICK)	REMARKS
	AREA (SY)	AREA (SY)	
ASHBROOK	1000.0	1000	
TOTAL	1000.0	1000	
USE	1000	1000	

* PAVEMENT PATCH TO BE USED AT ENGINEERS DIRECTION

EROSION CONTROL		
LOCATION	CURB INLET CHECK	REMARKS
	EACH (EA)	
ASHBROOK	14	
TOTAL	14	
USE	14	

STATE OF MISSOURI

DAVID R. REICHMANN

ENGINEER

PE-2011000948

6-1-18

NAME: DAVID R. REICHMANN

DISCIPLINE: ENGINEER

LICENSE NO. PE-2011000948

EXPIRATION DATE: 12-31-19

DATE PREPARED

6/12/2018

ROUTE

STATE

MO

DISTRICT

SHEET NO.

SL 2B

COUNTY

ST. LOUIS

JOB NO.

1608900

MSD BASEMAP

10F, 11F

FEDERAL PROJECT NO.

STP-5422(619)

MSD NUMBER

18MSD-00033

DESCRIPTION

DATE

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-6966

www.HornerShifrin.com

Certificate of Authority: 000159

Expiration Date: December 31, 2018

Bellefontaine

Neighbors



ASHBROOK DRIVE

SCHEDULE OF QUANTITIES


SHEET 2 OF 3

REV.

...\\1210_14\\002B_Quantities_B2.dgn


9:37:04 AM

6/12/2018



- NOTES:
- ALL EXISTING STRUCTURES NOT LABELED SHALL BE USED IN PLACE.
 - EXISTING ROW AND PROPERTY LINES SHOWN ARE APPROXIMATE ONLY AND ARE FROM THE ST. LOUIS COUNTY GIS RECORDS.
 - CONSTRUCTION LIMITS SHALL BE WITHIN THE EXISTING R/W.
 - ALL STORM INLETS SHALL MAINTAIN A MINIMUM 6" THROAT OPENING PER MSD DETAIL SHEET #59 IN MSD STANDARD CONSTRUCTION SPECIFICATIONS FOR SEWERS AND DRAINAGE FACILITIES (2009)

SPECIAL NOTE TO CONTRACTOR(S):
EXISTING UNDERGROUND AND ABOVE-GRADE FACILITIES, STRUCTURES, AND UTILITIES HAVE BEEN PLOTTED ON THESE CONTRACT DOCUMENTS BASED ON THE INFORMATION AND SURVEYS AVAILABLE AT THE TIME OF DRAWING PREPARATION. THE LOCATIONS OF THESE FEATURES MUST, THEREFORE, BE CONSIDERED APPROXIMATE, ONLY. IN ADDITION, THERE MAY BE OTHER FACILITIES, STRUCTURES, AND UTILITIES WHICH DID NOT EXIST (OR THE EXISTENCE OF WHICH WAS NOT KNOWN) AT THE TIME OF DRAWING PREPARATION. IT IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR(S) TO HAVE ALL EXISTING FACILITIES, STRUCTURES AND UTILITIES LOCATED IN THE FIELD PRIOR TO ANY EXCAVATION OR CONSTRUCTION ACTIVITY AND TO PROTECT ALL SUCH FEATURES (EXCEPT THOSE SPECIFICALLY NOTED FOR REMOVAL OR DEMOLITION) DURING CONSTRUCTION.



STATE OF MISSOURI

DAVID R. REICHMANN

ENGINEER

PROFESSIONAL ENGINEER

18

NAME: DAVID R. REICHMANN
DISCIPLINE: ENGINEER
LICENSE NO. PE-2011000948
EXPIRATION DATE: 12/31/19

DATE PREPARED: 6/12/2018

ROUTE: SL
STATE: MO
DISTRICT: 3
SHEET NO.: 3
COUNTY: ST. LOUIS
JOB NO.: 1608900
MSD BASEMAP: 10F, 11F
FEDERAL PROJECT NO.: STP-5422(619)
MSD NUMBER: 18MSD-00033

DESCRIPTION

DATE

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-8966

www.HornerShifrin.com

Certificate of Authority: 000159

Expiration Date: December 31, 2018

Bellefontaine

Neighborhoods

ASHBROOK DRIVE

PLAN - PLAN SHEET

SHEET 1 OF 4


...11035\1210_3\003_PP1_900.dgn

9:36:56 AM


6/12/2018

REV.


- NOTES:
1. ALL EXISTING STRUCTURES NOT LABELED SHALL BE USED IN PLACE.
 2. EXISTING ROW AND PROPERTY LINES SHOWN ARE APPROXIMATE ONLY AND ARE FROM THE ST. LOUIS COUNTY GIS RECORDS.
 3. CONSTRUCTION LIMITS SHALL BE WITHIN THE EXISTING ROW.
 4. ASPHALT PARKING ADJACENT TO ASHBROOK DRIVE FROM STA. 34+50 TO STA. 43+00 SHALL BE INSTALLED FLUSH WITH EDGE OF NEW SIDE AND EDGE OF ASHBROOK DRIVE. CONTRACTOR TO REPLACE ALL PAVEMENT MARKING WITHIN ON-STREET PARKING AREA INCLUDING HATCHES, HANDICAP SYMBOLS, AND PARKING SPACE DELINIATORS. LAYOUT SHALL MATCH EXISTING
 5. ALL STORM INLETS SHALL MAINTAIN A MINIMUM 6" THROAT OPENING PER MSD DETAIL SHEET #59 IN MSD STANDARD CONSTRUCTION SPECIFICATIONS FOR SEWERS AND DRAINAGE FACILITIES (2009)

[illegible]


REFERENCE POINTS




CONTROL POINT 300
N 1062191.386
E 896324.257
IRC
ELEV. = 462.72
STA. = 10+74.68
O/S = 19.84' RT




CONTROL POINT 301
N 1062629.866
E 896144.424
IRC
ELEV. = 467.35
STA. = 15+44.55
O/S = 18.16' RT




CONTROL POINT 302
N 1063048.304
E 895958.289
IRC
ELEV. = 470.54
STA. = 20+01.32
O/S = 22.50' LT




CONTROL POINT 303
N 1063617.893
E 896059.890
IRC
ELEV. = 469.10
STA. = 25+74.79
O/S = 22.02' LT




CONTROL POINT 304
N 1064097.432
E 896498.782
IRC
ELEV. = 475.93
STA. = 32+12.25
O/S = 50.23' LT




CONTROL POINT 305
N 1064190.558
E 897006.465
IRC
ELEV. = 480.28
STA. = 37+15.62
O/S = 20.62' RT



CONTROL POINT 306
N 1064524.598
E 897458.254
IRC
ELEV. = 485.91
STA. = 42+69.09
O/S = 35.21' RT



BENCHMARK 1
N 1062186.795
E 896285.2280
NORTH BOLT
ELEV. = 464.77
STA. = 10+67.56
O/S = 18.81' LT



BENCHMARK 3
N 1064505.359
E 897488.773
TOP BOLT
ELEV. = 487.97
STA. = 60+90.54 (CABOT DRIVE)
O/S = 20.36' LT

COORDINATE POINTS					
SHEET NO.	STATION	LOCATION	NORTHING (FEET)	EASTING (FEET)	DESCRIPTION
1	10+00.00	ASHBROOK DRIVE	1062118.16	896299.60	POT
1	10+25.66	ASHBROOK DRIVE	1062143.77	896301.27	BEGIN CONSTRUCTION
1	11+01.05	ASHBROOK DRIVE	1062219.00	896306.18	PC
1	11+41.56	ASHBROOK DRIVE	1062259.42	896308.81	PI
1	11+80.19	ASHBROOK DRIVE	1062295.68	896290.74	PT
1	16+58.33	ASHBROOK DRIVE	1062723.60	896077.40	PC
2	20+51.14	ASHBROOK DRIVE	1063075.14	895902.14	PI
2	24+05.52	ASHBROOK DRIVE	1063450.41	896018.21	PT
2	24+33.32	ASHBROOK DRIVE	1063476.97	896026.42	PC
2	25+41.89	ASHBROOK DRIVE	1063580.69	896058.50	PI
2	26+49.23	ASHBROOK DRIVE	1063672.66	896116.20	PT
2	26+73.89	ASHBROOK DRIVE	1063693.55	896129.31	PC
3	30+70.32	ASHBROOK DRIVE	1064029.35	896339.99	PI
3	34+28.73	ASHBROOK DRIVE	1064129.59	896723.54	PT
3	35+90.42	ASHBROOK DRIVE	1064170.47	896879.97	PC
3	39+46.19	ASHBROOK DRIVE	1064260.42	897224.18	PI
4	42+73.50	ASHBROOK DRIVE	1064548.90	897432.39	PT
4	42+90.40	ASHBROOK DRIVE	1064562.60	897442.28	END CONSTRUCTION
4	43+07.29	ASHBROOK DRIVE	1064576.30	897452.17	POT
4	60+00.00	CABOT DRIVE	1064501.26	897395.75	BEGIN CONSTRUCTION
4	60+83.25	CABOT DRIVE	1064486.70	897477.72	PC
4	62+11.40	CABOT DRIVE	1064464.30	897603.90	PI
4	63+32.94	CABOT DRIVE	1064378.79	897699.34	PT
4	63+58.94	CABOT DRIVE	1064361.44	897718.71	END CONSTRUCTION
4	63+89.55	CABOT DRIVE	1064341.02	897741.50	POT

MISSOURI COORDINATE SYSTEM AND ELEVATION:
COORDINATES SHOWN HAVE BEEN DERIVED FROM
GPS OBSERVATION USING THE MISSOURI
DEPARTMENT OF TRANSPORTATION'S GNSS/GPS
VRS NETWORK, WGS 84, NAVD88
ELEVATION ARE ON USGS DATUM.

THE ST. LOUIS COUNTY BENCHMARK USED FOR THIS PROJECT IS BENCHMARK NUMBER 10052 NAVD88(SLC2011a) ELEV. = 453.54 FTUS "L" ON SOUTHEAST CORNER OF THE SOUTH HEADWALL OF BRIDGE #159 ON CHAMBERS ROAD; SOUTH OF CHAMBERS ROAD AND 150' EAST OF FONDA DRIVE



NAME: DAVID R. RIECHMANN
DISCIPLINE: ENGINEER
LICENSE NO. PE-2011000948
EXPIRATION DATE: 12-31-19

DATE PREPARED

6/12/2018

ROUTE	STATE MO
-------	-------------

DISTRICT	SHEET NO.
SL	7

COUNTY

ST LOUIS

JOB NO.

1608900

MSD BASEMAP

10E 11E

GENERAL PROJECT N

P-5422(619)

MSD NUMBER

MSD-00033

[illegible]

Bellefontaine
Neighbors

HURNER SHIFRIN
THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-14321 FAX: 314-531-6966
www.HorneShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

ASHBROOK DRIVE


REFERENCE POINTS
COORDINATE POINTS
SHEET 1 OF 1

REV.




- 2) ACCESS SHALL BE PROVIDED TO ALL SIDE STREETS AT ALL TIMES.
- 3) THE CONTRACTOR SHALL MAINTAIN ACCESS TO PRIVATE DRIVEWAYS AND/OR FIELD ENTRANCES, IF TEMPORARY CLOSURES OF PRIVATE DRIVES ARE REQUIRED. 24 HOUR NOTICE SHALL BE PROVIDED TO THE CITY DIRECTOR OF PUBLIC WORKS.
- 4) ANY REQUIRED TRAFFIC CONTROL SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).
- 5) ALL LANES MUST REMAIN OPEN OVERNIGHT AND WHEN WORK IS NOT IN PROGRESS, A MINIMUM ONE LANE OF TRAFFIC SHALL REMAIN OPEN AT ALL TIMES DURING CONSTRUCTION EXCEPT AT BRIDGE LOCATIONS.
- 6) THE BUFFER SPACE SHOULD BE EXTENDED SO THAT TRAFFIC TAPER IS PLACED BEFORE A HORIZONTAL (OR CREST VERTICAL) CURVE TO PROVIDE ADEQUATE SIGHT DISTANCE FOR THE FLAGGER AND A QUEUE OF STOPPED VEHICLES.
- 7) IF THE EXISTING PAVEMENT MARKINGS ARE REMOVED, THE CONTRACTOR SHALL PROVIDE TEMPORARY PAVEMENT MARKINGS AT THE END OF EACH DAY'S WORK. THE TEMPORARY MARKINGS SHALL BE MAINTAINED BY THE CONTRACTOR UNTIL THE PERMANENT MARKINGS ARE INSTALLED. THE COST OF SUCH PAVEMENT MARKINGS AND ASSOCIATED LABOR SHALL BE BORNE BY THE CONTRACTOR AND SHALL BE INCLUDED IN THE PRICE FOR OTHER WORK. NO DIRECT PAYMENT FOR SUCH PAVEMENT MARKINGS WILL BE MADE.
- 8) ONCE THE EXISTING PAVEMENT IS REMOVED/MILLED, THE CONTRACTOR SHALL INSTALL THE ASPHALT OVERLAY OR RESTORE A SMOOTH DRIVING SURFACE WITHIN FOURTEEN CALENDAR DAYS.
- 9) THE CONTRACTOR WILL DETERMINE THE OPTIMUM LENGTH OF WORK ZONES/ AREAS AS CONSTRUCTION PROGRESSES. THE LENGTH OF WORK ZONES/AREAS WILL VARY AS REQUIRED TO MINIMIZE DISRUPTION TO ROAD TRAFFIC WHILE MAXIMIZING THE PROGRESS OF CONSTRUCTION.
- 10) THE CONTRACTOR SHALL HAVE THE DAY TO DAY RESPONSIBILITY FOR TRAFFIC CONTROL IN WORK ZONE AREAS, AND SHALL PROVIDE ADDITIONAL TRAFFIC CONTROL MEASURES AS THEY DEEM APPROPRIATE TO PROVIDE FOR SAFE TRAFFIC CONTROL AND RELATED CONSTRUCTION OPERATIONS.
- 11) AT THE END OF EACH WORKING DAY, THE CONTRACTOR SHALL PLACE A MINIMUM 2 FT LONG ASPHALT WEDGE TO TRANSITION MILLED SURFACE TO ORIGINAL SURFACE AT TRANSVERSE LOCATIONS TO THE CENTERLINE. PLACE BUMP SIGNS (NO. 4 SHOWN ABOVE) AT EACH WEDGE LOCATION. THIS WORK SHALL BE CONSIDERED INCIDENTAL TO OTHER ITEMS.

SUMMARY OF APPROXIMATE QUANTITIES			
DESCRIPTION	UNIT	QUANTITY	REMARKS
		(SF)	
CHANNELIZING DEVICE	EACH	75	
CONSTRUCTION SIGNS	SF	124	

[illegible]

ASHBROOK DRIVE

TRAFFIC CONTROL
SHEET 1 OF 1



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME: DAVID R. RECHMANN
DISCIPLINE: ENGINEER
LICENSE NO. PE-2011000948
EXPIRATION DATE: 12/31/19

DATE PREPARED
6/12/2018

ROUTE STATE
DISTRICT SHEET NO.
SL 10

COUNTY
ST. LOUIS

JOB NO.
1608900

MSD BASEMAP
10F, 11F

FEDERAL PROJECT NO.
STP-5422(619)

MSD NUMBER
18MSD-00033

DESCRIPTION

DATE

Bellefontaine
Neighbors




HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-4321 FAX: 314-531-6966
www.HornerShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS
SHEET 2 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:55:39 AM 6/12/2018 REV.



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME:

DISCIPLINE:

EXPIRATION DATE:

DAVID R. RECHMANN

ENGINEER

PE-2011000948

DATE PREPARED:

6/12/2018

ROUTE:

DISTRICT:

COUNTY:

JOB NO.:

MSD BASEMAP:

FEDERAL PROJECT NO.:

MSD NUMBER:

STATE:

SHEET NO.:

ST. LOUIS

1608900

10F, 11F

STP-5422(619)

18MSD-00033

DESCRIPTION

DATE

Bellefontaine

Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-8966

www.HornerShifrin.com

Certificate of Authority: 000159


Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS

SHEET 5 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:56:00 AM 6/12/2018 REV.



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME: DAVID R. RECHMANN

DISCIPLINE: ENGINEER

EXPIRATION DATE: 12/31/19

DATE PREPARED: 6/12/2018

ROUTE: MO

DISTRICT: SL

COUNTY: ST. LOUIS

JOB NO.: 1608900

MSD BASEMAP: 10F, 11F

FEDERAL PROJECT NO.: STP-5422(619)

MSD NUMBER: 18MSD-00033

DESCRIPTION

DATE

Bellefontaine

Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-6966

www.HornerShifrin.com

Certificate of Authority: 000159

Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS


SHEET 6 OF 26

...11036\1210_7\009-032_XS_900.dgn

9:56:07 AM

6/12/2018

REV.



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME: DAVID R. RECHMANN
DISCIPLINE: ENGINEER
LICENSE NO. PE-2011000948
EXPIRATION DATE: 12/31/19

DATE PREPARED
6/12/2018

ROUTE STATE
SL MO

DISTRICT SHEET NO.
15

COUNTY
ST. LOUIS

JOB NO.
1608900

MSD BASEMAP
10F, 11F

FEDERAL PROJECT NO.
STP-5422(619)

MSD NUMBER
18MSD-00033

DESCRIPTION

DATE

Bellefontaine
Neighbors


HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-4321 FAX: 314-531-8966
www.HornerShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS
SHEET 7 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:56:14 AM 6/12/2018



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME:

DISCIPLINE:

EXPIRATION DATE:

DAVID R. RECHMANN

ENGINEER

PE-2011000948

DATE PREPARED

6/12/2018

ROUTE

STATE

DISTRICT

SHEET NO.

COUNTY

JOB NO.

MSD BASEMAP

FEDERAL PROJECT NO.

MSD NUMBER

SL

MO

16

ST. LOUIS

1608900

10F, 11F

STP-5422(619)

18MSD-00033

DESCRIPTION

DATE

Bellefontaine

Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-8966

www.HornerShifrin.com

Certificate of Authority: 000159


Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS

SHEET 8 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:56:20 AM 6/12/2018 REV.



STATE OF MISSOURI

DAVID R. REICHMANN

ENGINEER

PE-2011000948

6/11/18

NAME:

DISCIPLINE:

EXPIRATION DATE:

DAVID R. REICHMANN

ENGINEER

PE-2011000948

DATE PREPARED:

6/12/2018

ROUTE:

DISTRICT:

SL

STATE:

SHEET NO.:

MO

19

COUNTY:

ST. LOUIS

JOB NO.:

1608900

MSD BASEMAP:

10F, 11F

FEDERAL PROJECT NO.:

STP-5422(619)

MSD NUMBER:

18MSD-00033

DESCRIPTION

DATE

Bellefontaine

Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-8966

www.HornerShifrin.com

Certificate of Authority: 000159


Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS

SHEET 11 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:56:41 AM 6/12/2018 REV.



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME:

DISCIPLINE:

EXPIRATION DATE:

DAVID R. RECHMANN

ENGINEER

PE-2011000948

DATE PREPARED

6/12/2018

ROUTE

STATE

DISTRICT

SHEET NO.

COUNTY

JOB NO.

MSD BASEMAP

FEDERAL PROJECT NO.

MSD NUMBER

18MSD-00033

DESCRIPTION

DATE

Bellefontaine

Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-8966

www.HornerShifrin.com

Certificate of Authority: 000159


Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS

SHEET 12 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:56:48 AM 6/12/2018 REV.



NAME: DAVID R. REICHMANN
DISCIPLINE: ENGINEER
LICENSE NO.: PE-2011000948
EXPIRATION DATE: 12/31/19

DATE PREPARED: 6/12/2018

ROUTE: SL
STATE: MO
DISTRICT: 21
SHEET NO.: 21

COUNTY: ST. LOUIS

JOB NO.: 1608900

MSD BASEMAP: 10F, 11F

FEDERAL PROJECT NO.: STP-5422(619)

MSD NUMBER: 18MSD-00033

DESCRIPTION


DATE

Bellefontaine
Neighbors

HORNER SHIFRIN
THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-4321 FAX: 314-531-8966
www.HornerShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS
SHEET 13 OF 26



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME:

DISCIPLINE:

EXPIRATION DATE:

DAVID R. RECHMANN

ENGINEER

PE-2011000948

DATE PREPARED

6/12/2018

ROUTE

STATE

DISTRICT

SHEET NO.

COUNTY

JOB NO.

MSD BASEMAP

FEDERAL PROJECT NO.

MSD NUMBER

18MSD-00033

DESCRIPTION

DATE

Bellefontaine

Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-8966

www.HornerShifrin.com

Certificate of Authority: 000159


Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS

SHEET 14 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:57:02 AM 6/12/2018 REV.



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6-11-18

NAME: DAVID R. RECHMANN
DISCIPLINE: ENGINEER
LICENSE NO. PE-2011000948
EXPIRATION DATE: 12-31-19

DATE PREPARED
6/12/2018

ROUTE: STATE
MO

DISTRICT: SHEET NO.
SL 24

COUNTY
ST. LOUIS

JOB NO.
1608900

MSD BASEMAP
10F, 11F

FEDERAL PROJECT NO.
STP-5422(619)

MSD NUMBER
18MSD-00033

DESCRIPTION

DATE

Bellefontaine
Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-4321 FAX: 314-531-6966
www.HornerShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

ASHBROOK DRIVE


CROSS SECTIONS
SHEET 16 OF 26

...11036\1210_7\009-032_XS_900.dgn

9:57:15 AM

6/12/2018

REV.



STATE OF MISSOURI

DAVID R. REICHMANN

ENGINEER

PE-2011000948

6/12/18

PROFESSIONAL ENGINEER

NAME:

DISCIPLINE:

EXPIRATION DATE:

DAVID R. REICHMANN

ENGINEER

PE-2011000948

DATE PREPARED

6/12/2018

ROUTE

STATE

DISTRICT

SHEET NO.

SL

25

COUNTY

ST. LOUIS

JOB NO.

1608900

MSD BASEMAP

10F, 11F

FEDERAL PROJECT NO.

STP-5422(619)

MSD NUMBER

18MSD-00033

DESCRIPTION

DATE

Bellefontaine

Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-8966

www.HornerShifrin.com

Certificate of Authority: 000159

Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS


SHEET 17 OF 26

...11036\1210_7\009-032_XS_900.dgn

9:57:23 AM

6/12/2018

REV.



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6-11-18

NAME: DAVID R. RECHMANN
DISCIPLINE: ENGINEER
LICENSE NO. PE-2011000948
EXPIRATION DATE: 12-31-19

DATE PREPARED
6/12/2018

ROUTE
SL

STATE
MO

DISTRICT
27

SHEET NO.
27

COUNTY
ST. LOUIS

JOB NO.
1608900

MSD BASEMAP
10F, 11F

FEDERAL PROJECT NO.
STP-5422(619)

MSD NUMBER
18MSD-00033

DESCRIPTION

DATE

Bellefontaine
Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-4321 FAX: 314-531-8966
www.HornerShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

ASHBROOK DRIVE


CROSS SECTIONS
SHEET 19 OF 26

...11036\1210_7\009-032_XS_900.dgn

9:57:37 AM

6/12/2018

REV.



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME:

DISCIPLINE:

EXPIRATION DATE:

DAVID R. RECHMANN

ENGINEER

PE-2011000948

DATE PREPARED:

6/12/2018

ROUTE:

STATE:

DISTRICT:

MO

SL

28

COUNTY:

ST. LOUIS

JOB NO.:

1608900

MSD BASEMAP:

10F, 11F

FEDERAL PROJECT NO.:

STP-5422(619)

MSD NUMBER:

18MSD-00033

DESCRIPTION

DATE

Bellefontaine

Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-8966

www.HornerShifrin.com

Certificate of Authority: 000159


Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS

SHEET 20 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:57:43 AM 6/12/2018



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME: DAVID R. RECHMANN

DISCIPLINE: ENGINEER

EXPIRATION DATE: 12/31/19

DATE PREPARED: 6/12/2018

ROUTE: MO

DISTRICT: SL

COUNTY: ST. LOUIS

JOB NO.: 1608900

MSD BASEMAP: 10F, 11F

FEDERAL PROJECT NO.: STP-5422(619)

MSD NUMBER: 18MSD-00033

DESCRIPTION

DATE

Bellefontaine
Neighbors

HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION

401 S. 18th St., Ste. 400

ST. LOUIS, MO 63103-2296

314-531-4321 FAX: 314-531-8966

www.HornerShifrin.com

Certificate of Authority: 000159


Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS

SHEET 21 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:57:50 AM 6/12/2018 REV.



STATE OF MISSOURI

DAVID R. RECHMANN

ENGINEER

PE-2011000948

6/12/18

NAME: DAVID R. RECHMANN
DISCIPLINE: ENGINEER
LICENSE NO. PE-2011000948
EXPIRATION DATE: 12/31/19

DATE PREPARED
6/12/2018

ROUTE STATE
SL MO

DISTRICT SHEET NO.
30 30

COUNTY
ST. LOUIS

JOB NO.
1608900

MSD BASEMAP
10F, 11F

FEDERAL PROJECT NO.
STP-5422(619)

MSD NUMBER
18MSD-00033

DESCRIPTION

DATE

Bellefontaine

Neighbors


HORNER SHIFRIN

THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-4321 FAX: 314-531-6966
www.HornerShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

ASHBROOK DRIVE

CROSS SECTIONS
SHEET 22 OF 26

...11036\1210_7\009-032_XS_900.dgn 9:57:57 AM 6/12/2018 REV.



STATE OF MISSOURI

DAVID R. RECHMANN

PROFESSIONAL ENGINEER

NAME: DAVID R. RECHMANN
DISCIPLINE: ENGINEER
LICENSE NO. PE-2011000948
EXPIRATION DATE: 12/31/19

DATE PREPARED
6/12/2018

ROUTE: STATE: MO

DISTRICT: SL SHEET NO.: 34

COUNTY: ST. LOUIS

JOB NO.: 1608900

MSD BASEMAP: 10F, 11F

FEDERAL PROJECT NO.: STP-5422(619)

MSD NUMBER: 18MSD-00033

DESCRIPTION

DATE

Bellfontaine

SHIFRIN

THE POWER HOUSE AT UNION STATION
401 S. 18th St., Ste. 400
ST. LOUIS, MO 63103-2296
314-531-4321 FAX: 314-531-8966
www.HornerShifrin.com
Certificate of Authority: 000159
Expiration Date: December 31, 2018

CABOT DRIVE

CROSS SECTIONS
SHEET 26 OF 26